



Advances in Precision Agriculture Technologies for Sustainable Crop Production

Vikram Singh^{a++*}

^a Department of Agriculture, NIILM University, Kaithal, Haryana, India.

Author's contribution

The sole author designed, analyzed, interpreted and prepared the manuscript.

Article Information

DOI: 10.9734/JSRR/2024/v30i21844

Open Peer Review History:

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here: <https://www.sdiarticle5.com/review-history/112060>

Review Article

Received: 15/11/2023

Accepted: 21/01/2024

Published: 25/01/2024

ABSTRACT

Precision agriculture (PA) encompasses a set of technologies that allow farmers to collect data on variations within fields and manage crops at a more granular level. PA technologies include sensors, satellite imagery, information management tools and variable rate application systems. Together, these enable data-driven, site-specific decision making to optimize productivity while minimizing environmental impacts. This review examines recent advances in PA technologies and their role in supporting sustainable crop production. Key developments reviewed include remote sensing platforms and techniques, proximal soil sensors, variable rate systems, robotics and automation, and decision support tools powered by artificial intelligence and machine learning. Challenges and future directions are also discussed. Widespread adoption of PA technologies has the potential to increase yields and profitability for farmers while reducing use of inputs such as water, nutrients, and pesticides. However, barriers to adoption exist, including costs, technical complexity, and integration challenges. Continued innovation and knowledge transfer will be critical to unlocking the full promise of PA for sustainable agriculture.

⁺⁺ Assistant Professor;

^{*}Corresponding author: E-mail: sainivikky@gmail.com;

Keywords: Precision agriculture; technology; remote sensing; sensors; automation; sustainability.

1. INTRODUCTION

The burgeoning global population, projected to reach 9.8 billion by 2050 according to the Food and Agriculture Organization [1], has placed an unprecedented demand on food production. This escalating need for sustenance comes at a time when agriculture faces formidable challenges from environmental issues like climate change, water scarcity, and soil erosion, which compromise the capacity of existing systems to meet demand sustainably. In response to these challenges, precision agriculture (PA) has emerged as a transformative approach, utilizing technology to optimize production and mitigate environmental impacts at a local scale.

Precision agriculture allows for the tailoring of management practices to the inherent variability within fields through the systematic collection, analysis, and application of data. Rather than adopting a uniform application of inputs across entire fields, PA technologies enable targeted intervention, applying resources such as water, fertilizers, and pesticides precisely where and when needed [2]. This nuanced approach not only enhances efficiency but also minimizes the ecological footprint of agricultural activities.

The umbrella of precision agriculture encompasses a diverse range of technologies, including sensors, imagery, positioning systems, information management tools, and variable rate application systems. In recent years, there has been an acceleration of innovation in PA technologies, driven by advances in satellite platforms, proximal and remote sensing, automation, robotics, and data science. These advancements have not only expanded the capabilities of PA systems but have also led to a reduction in costs, fostering increased adoption on a global scale. Current estimates indicate that PA technologies are presently deployed on approximately 50% of major grain-producing cropland in key regions such as North America, Brazil, and Australia [3].

This comprehensive review delves into recent advances in PA technologies that hold promise for supporting sustainable crop production. The exploration begins by dissecting key platform developments in remote sensing, proximal soil sensing, and global navigation satellite systems (GNSS). Subsequently, it delves into innovations in variable rate input systems, robotics and

automation, and data analytics. Finally, the review scrutinizes existing barriers to widespread PA adoption and proposes future directions for overcoming these challenges. The overarching goal is to explore how precision agriculture, through continued technological progress and diffusion, can realize its full potential in increasing productivity while concurrently reducing environmental impacts.

Recent advancements in remote sensing platforms have marked a paradigm shift, providing high-resolution imagery and real-time data. These technologies offer unparalleled insights into crop health, allowing for timely and precise interventions. Proximal soil sensing techniques have evolved to provide granular information about soil properties, enabling farmers to make informed decisions about resource allocation. Global navigation satellite systems (GNSS) have become more sophisticated, enhancing the accuracy of location-based data crucial for precision agriculture operations.

In the realm of variable rate input systems, there has been a noticeable shift towards more efficient and precise resource utilization. Innovations in robotics and automation have led to the development of autonomous vehicles and smart machinery capable of executing tasks with unparalleled precision. The integration of data analytics has empowered farmers to derive actionable insights from the vast amounts of information collected, optimizing decision-making processes and resource allocation.

Despite these remarkable advancements, barriers to the widespread adoption of PA persist. Issues such as initial investment costs, the complexity of technology integration, and the need for specialized knowledge pose challenges for many farmers. Furthermore, concerns related to data privacy and security, along with the lack of standardized protocols, hinder seamless collaboration and data sharing within the agricultural community.

Looking ahead, addressing these challenges requires collaborative efforts from stakeholders across the agricultural value chain. Continued research and development initiatives, coupled with targeted educational programs, can empower farmers to embrace PA technologies confidently. Establishing industry-

wide standards for data sharing and security can foster a more conducive environment for the widespread adoption of precision agriculture.

2. REMOTE SENSING PLATFORMS AND TECHNIQUES

Remote sensing from aerial and satellite platforms provides invaluable data on crop status and field variability. A range of mature remote sensing technologies are already widely used in PA, such as satellite imagery and multi-spectral analysis. Meanwhile, newer techniques including hyperspectral, thermal, and LiDAR sensing from unmanned aerial vehicles (UAVs) are expanding capabilities.

Satellite platforms: High and medium resolution satellite constellations have expanded significantly in the past decade. Systems such as Planet Labs' Doves, Maxar's WorldView Legion, and ESA's Sentinel satellites now provide regular, timely coverage at 1-5 m resolutions. Satellite data enables monitoring of crop development, detection of pest and disease outbreaks, assessment of water stress, and measurement of vegetation indices linked to yield potential [4]. Cloud computing allows large satellite datasets to be processed rapidly to inform in-season management decisions.

Hyperspectral remote sensing: Hyperspectral sensors capture hundreds of contiguous spectral bands, enabling detection of crop stresses and diseases that may not be visible using RGB or multispectral data. UAVs equipped with hyperspectral cameras have expanded scanning capabilities for individual fields. Applications include detecting crop nutrient deficiencies, diseases, and yield-reducing factors like weeds and soil compaction [5]. Challenges to adoption include costs, data management, and analytical complexity.

Thermal sensing: Thermal cameras detect crop canopy temperatures influenced by evapotranspiration and plant stress. As water becomes limited, crops close stomata, reducing cooling via transpiration and increasing temperature [6]. UAV thermal sensing enables high-resolution crop water stress monitoring for irrigation management. Limitations include vulnerability to weather conditions and costs compared to visual/multispectral data.

LiDAR: LiDAR (Light Detection and Ranging) uses lasers to create detailed 3D representations of terrain and vegetation structure. LiDAR point clouds enable precise measurements of plant height and canopy depth, supporting field variability mapping and input prescriptions [7]. Drawbacks currently include high costs and intensive data processing requirements.




Fig. 1. Remote sensing platforms and techniques

Table 1. Overview of precision agriculture technology areas, key innovations, benefits/limitations, and future outlooks

PA Area	Key Innovations	Benefits	Limitations	Future Outlook
Satellite remote sensing Basso et al., [4]	Expanded satellite constellations, improved revisit frequency, cloud computing	Frequent, timely, high-resolution monitoring of crop status, early disease/pest detection, yield forecasting	Cost, reliance on cloud-free imagery	Continued growth in constellation size, resolution, and analytics
Unmanned aerial vehicles Lyle et al.,[7]	Multispectral, hyperspectral, LiDAR sensors; improved battery life, ease of use	Low-altitude, high-resolution monitoring and mapping capabilities	Operational complexity, sensor costs, data processing requirements	Improvements in autonomy, extended flight times, integrated analytics
Proximal soil sensing Adamchuk et al., [8]	Apparent EC mapping, rapid nutrient analysis, moisture sensors	Real-time soil data for VRT, reduced lab analysis needs	Costs, calibration requirements	New rapid in-field nutrient and OM analysis; improved moisture monitoring
Variable rate input systems Lowenberg-DeBoer & Erickson, [3]	Enhanced control systems, section/nozzle controls, integration of prescription maps	Match inputs to intra-field variability, avoid waste	Complexity, compatibility challenges	Improved ease-of-use, expanded capabilities (e.g. for C, P, K)
Robotics & automation Shamshiri et al., [9]	Autonomous tractors, UGVs, fruit pickers, smart implements	Reduce labor needs; improve efficiency, timeliness	Cost, technical maturity, unproven ROI	Advances in computer vision, manipulation, decision-making; commercial availability
Positioning systems Ehsani et al., [10]	Dual constellation receivers, SBAS, RTK	Enhanced accuracy, uptime for auto-guidance, mapping, navigation	Signal disruption near structures/terrain	Further improvements in precision and robustness from new GNSS constellations
Yield mapping & monitoring Lyle et al.,	Improved harvester integration, calibration techniques	Identify in-field yield variability factors	Timeliness, accuracy, ease-of-use	Better real-time calibration, reporting; integration with prescriptions
Soil mapping Corwin & Lesch, [7]	Proximal sensors, EM induction, gamma radiometrics	Detailed soil data for decisions support	Data intensity, interpretation complexity	Integration with satellite imagery; improved interpolation
Crop status monitoring Vescovo et al., [11]	On-plant sensors, computer vision techniques	Automated, real-time crop health monitoring	Algorithm development, sensor costs	Improvements in sensor robustness, miniaturization, and analytics
Weather monitoring Mills et al., [13]	Dense hyperlocal weather networks	Microclimate data for field-specific decisions	Costs, optimal siting	Increasing density; improved forecasting integration
Decision support systems Fernandez-Cornejo et al., [14]	Data science models, digital advisors, multi-field platforms	Synthesize data for insights, recommendations	Algorithm transparency, actionability	Advances in predictive modeling, reasoning, and explainability
Data integration platforms Kaloxylas et al.,[15]	Cloud computing, data standards, APIs	Aggregate, exchange, integrate diverse PA data	Interoperability, security, contracts	Open architectures, decentralized networks enhancing accessibility

3. PROXIMAL SOIL SENSING

While remote sensing provides valuable data on crops themselves, understanding soil variability is also critical. Key soil properties like texture, moisture, and nutrient levels vary across fields. Proximal soil sensors mounted on equipment or handheld enable real-time sensing at high resolutions.

Electrical conductivity: Electroconductivity (EC) sensors measure soil salinity and clay content based on the conductive properties of soils. EC mapping reveals variability in moisture holding capacity, cation exchange capacity, and subsoil compaction [12]. Apparent soil electrical conductivity (ECa) sensors are commonly integrated into PA systems.

pH: Soil pH influences nutrient availability and microbial communities. On-the-go pH sensors provide cost-effective mapping at finer scales than traditional soil sampling and lab analysis. However, accuracy can be affected by soil moisture, temperature, and buffering capacity [8].

Organic matter content: Soil organic matter improves nutrient and water holding capacities. Proximal sensors using visible and near infrared light spectra show promise for rapid, non-destructive measurement of organic matter [16]. Calibration for specific soils is essential.

Soil moisture: Real-time soil water content data at multiple locations enables precise irrigation management and variable rate water applications. Technologies include electromagnetic, tensiometric, capacitance, and

cosmic ray neutron sensors [17]. Costs currently constrain adoption.

Nutrients: Emerging techniques for rapid in-field nutrient analysis include ion-selective electrodes, optical sensors, and LIBS (laser-induced breakdown spectroscopy) [18]. These could enable real-time variable rate nutrient applications tailored to soil nutrient levels.

4. GLOBAL NAVIGATION SATELLITE SYSTEMS

Global navigation satellite systems (GNSS) have become a core enabling technology for PA. GNSS provides georeferenced positioning data that allows input applications and field operations to be precisely mapped and controlled. GNSS systems include:

- **GPS (US):** The ubiquitous Global Positioning System provides location data accurate to within 2-5 m. Differential correction via ground stations or SBAS (satellite-based augmentation system) improves accuracy to 10-30 cm for agriculture uses.
- **GLONASS (Russia):** Global Navigation Satellite System provides similar capabilities to GPS. Combined use improves accuracy and uptime.
- **Galileo (EU):** Still under development but will provide increased accuracy down to 20 cm as well as improved reliability.
- **BeiDou (China):** Global coverage was achieved in 2020 for China's navigation system. It provides accuracy comparable to GPS.




Fig. 2. Global navigation satellite systems

Continued improvements in accuracy, precision, and robustness have enabled automated guidance systems for tractors, harvesters, and other farm equipment. GNSS also underpins navigation and control for emerging robotic systems in agriculture.

5. VARIABLE RATE INPUT SYSTEMS

A core premise of PA is applying inputs such as fertilizers, pesticides, irrigation at a variable rate matched to need within fields. This minimizes waste, maximizes efficiency, and reduces environmental risks. A range of variable rate (VR) technologies now exist.

Variable rate planters/seeders: Enable automated adjustment of seeding rates across fields based on yield potential. Supports uniform emergence and avoids over/under planting in low/high productivity zones.

Fertilizer applicators: Allow granular or liquid fertilizer rates to be continuously adjusted based on soil nutrient levels measured by proximal sensors or prescription maps. Avoiding over-application reduces nutrient loss.

Pesticide sprayers: Spray nozzles can be individually controlled to vary application rates, droplet sizes, and mixtures across fields based on pest levels or risk. Reduces chemical use and off-target movement.

Irrigation systems: Systems include variable rate center pivots, lateral moves, and drip irrigation enabling water application to match soil moisture data. Improves efficiency and prevents leaching/runoff.

The success of VR systems depends on accurate application controllers integrated with GNSS positioning, application maps, and flow control mechanisms for individual nozzles or control valves. Continued developments in this technology are helping drive PA adoption.

6. ROBOTICS AND AUTOMATION

Agricultural robotics and automation seek to improve productivity and reduce reliance on human labor. PA technologies provide essential navigation, perception, and decision-making capabilities to enable increasing autonomous operation. Current categories of agricultural robots and automation include:



Fig. 3. Agriculture robotics and automation

Guidance systems: Allow tractors, sprayers, harvesters and other equipment to steer themselves along precise paths using GNSS positioning and computer control of steering. Reduces overlaps and enables controlled traffic patterns to minimize soil compaction.

Unmanned aerial vehicles: UAVs equipped with remote sensing payloads (RGB, multispectral, hyperspectral, thermal cameras) provide aerial scouting and data to inform management decisions. usages include irrigation scheduling, disease detection, and weed mapping.

Autonomous equipment: Driverless tractors capable of performing operations like tillage, planting, mowing, and hauling are in development and limited commercial availability. Enabled by advances in computer vision, LiDAR sensors, and artificial intelligence.

Fruit picking robots: Prototype robotic pickers for crops like apples, oranges, and strawberries. Use computer vision, gripper designs, and gentle handling to harvest without bruising. Could help address labor shortages.

Weed control robots: Automated weeders utilizing computer vision, mechanical actuation, or electrothermal/chemical treatments target only unwanted plants between crop rows or individual weeds among crops. Reduces herbicide usage.

While still emerging, agricultural robotics and automation are expected to become major drivers of PA adoption and sustainable intensification. Declining costs and improving capabilities will enable increased labor efficiency and reduced environmental impacts.

7. DECISION SUPPORT SYSTEMS

A key barrier to PA adoption has been the overwhelming amount of data generated by new technologies and how best to integrate it to guide decision making. Advanced analytics, artificial intelligence, and machine learning are addressing this challenge.

Yield prediction/modeling: Combines agronomic models with historical yield data, weather, and soil maps to forecast yield potential across fields. Supports decisions on planting, fertilizer, irrigation, and harvest timing.

Crop disease & stress detection: Machine learning models trained on visual crop images can identify disease outbreaks, nutrient deficiencies, drought stress earlier and with

greater accuracy than human scouts. Enables rapid mitigation.

Weed detection: Deep learning algorithms trained on field images can identify locations of weed infestations for targeted control. Reduces herbicide usage.

Variable rate prescription tools: Platforms that integrate and analyze multiple field data layers to automatically generate application maps for optimal results. Simplifies adoption of VR systems.

Chatbots/digital advisors: Provide growers with personalized recommendations and real-time answers to questions based on models and field data analysis. Democratizes access to agronomic expertise.

PA management platforms: Integrate data collection, analytics, and visualization into a single system tailored for decision making. Continued developments in data standardization and integration will enhance interoperability.

Future outlooks: longer term weather forecasting coupled with crop growth models and climate change projections will support advanced planning and adaptation.

These tools apply the power of data science to synthesize diverse field data into actionable insights. While research continues, commercial solutions are reaching the market to enhance PA adoption.

8. BARRIERS TO ADOPTION AND FUTURE DIRECTIONS

While great progress continues across PA technologies, barriers to adoption remain. The costs of advanced equipment, sensors, and data analytics still put PA out of reach for many producers. Even when affordable, utilizing PA systems to their full potential requires higher technical skills and management capacity than conventional approaches. Intimidating complexity and lack of technical support have slowed adoption for some operations.

PA systems also produce enormous datasets that can overwhelm limited internet connectivity in rural areas. As capabilities advance faster than hardware infrastructure modernizes on some farms, data management and movement will remain a bottleneck to realizing value.

Interoperability and data standards need continued development for different components of PA systems to work smoothly together.

Sustained research, incentives for adoption, enhanced technology transfer and training programs for growers will be critical to overcoming these barriers. As costs decline, challenges related to usability must also be overcome to achieve widespread utilization of PA tools. Facilitating grower access to service providers and technical support networks may help in this regard. Continued advancement in data systems, analytical techniques, and decision support tools can reduce complexity.

9. RESULTS AND DISCUSSION

9.1 Results

9.1.1 Remote sensing technologies

The paper highlights several promising remote sensing technologies that are gaining traction in precision agriculture, including hyperspectral imaging, thermal imaging, and LiDAR (light detection and ranging) [19].

Hyperspectral imaging produces images with hundreds of spectral bands, enabling detection of subtle changes in leaf chemical composition that can indicate crop stress (Mahlein et al., 2012). Research reviewed in Smith et al. [19] demonstrated 10-20% improvements in nitrogen use efficiency from hyperspectral imaging-guided fertilizer applications across multiple crop trials.

Thermal imaging measures canopy temperature as an indicator of crop water status and has been used to map spatial variations in water needs across fields (Gonzalez-Dugo et al., 2012)[6]. Variations in canopy temperature as small as 1-2 degrees Celsius can signify water stress [19].

LiDAR uses pulses of laser light to generate detailed 3D maps of fields and crops. LiDAR provides highly accurate measurements of plant height and ground contours for precision applications [20].

These remote sensing technologies provide high-resolution crop health and development data at the whole field scale [19].

9.1.2 Unmanned aerial systems

Unmanned aerial systems (UAS), also known as drones, are emerging as vital tools for precision agriculture remote sensing and field treatment.

UAS equipped with remote sensing payloads like multispectral, hyperspectral or thermal cameras can survey crop status across entire fields in minutes. Smith et al. [19] summarize multiple studies where regular UAS crop monitoring led to 47% savings in nitrogen fertilizer in wheat and increased early disease detection by several days compared to ground-based scouting. Beyond sensors, UAS can carry seeders, sprayers or pollinators to enable precise aerial field treatment and data collection [21]. The flexibility, low costs, and ease of deployment make UAS ideal for on-demand crop monitoring and interventions [19].

9.1.3 Robotics and automation

Advanced agricultural robots and automation tools can transform crop production by taking over slow, tedious, or hazardous tasks. Smith et al. [19] highlight robotic weeders that utilize computer vision to automatically distinguish crops from weeds. In several studies, these automated weeders achieved weed removal rates exceeding 95% [22,23].

Other examples include under-canopy farm robots capable of identifying ripe fruits through machine vision and gently picking them (Bac et al., 2017)[24]. In vineyards, automated shoot-thinning robots were able to prune vines faster and more consistently than expert human operators [25]. The paper also describes automated transplanters that can transplant seedlings with under 3% error rates at high speeds, supporting more efficient crop establishment [26].

By automating labor-intensive tasks like weeding and harvesting, agricultural robotics and automation can boost farm productivity and efficiency [19].

9.1.4 IoT and AI-Based decision support systems

The proliferation of low-cost IoT sensors coupled with big data analytics and AI models enables advanced decision support systems for precision agriculture. Smith et al. [19] summarize multiple studies where AI systems detected disease outbreaks days before human experts by analyzing moisture sensor data and leaf images for early indicators. AutoML techniques have been used to rapidly develop specialized AI models for specific crops and diseases from sensor and image data [27].

IoT soil sensors that continuously monitor moisture, nutrient levels and temperature can optimize irrigation, fertilization and other field interventions [28]. AI systems can integrate data streams from aerial imagery, ground sensors and weather forecasts to generate prescription maps for variable rate irrigation, fertilizers and pesticides tailored to micro-conditions across fields [29].

As IoT and AI continue progressing, real-time decision support systems for adaptive precision agriculture management are becoming reality [19].

9.2 Discussion

The crop production technologies reviewed demonstrate the ongoing digital transformation and automation of agriculture through precision techniques. Precision agriculture appears primed to convert traditional industrial broad-acre farming into data-driven, tunable, and sustainable crop production systems.

However, there remain substantial challenges to mainstream adoption of precision agriculture. Many emerging remote sensing and field robotics technologies are still too costly and complex for widespread utilization [19]. Effective integration and analysis of the enormous data streams from sensors, robots, and UAS to enhance real-time decision making is another key obstacle. User-friendly analytics dashboards that provide actionable recommendations are needed [29].

Standardization of data formats, connectivity protocols and cybersecurity measures will be essential as precision agriculture becomes increasingly dependent on digital technologies [19]. Collaboration between technologists, farmers, regulators and other stakeholders is critical for responsible development of new precision agriculture technologies.

Although the reviewed technologies demonstrate potential for optimizing inputs and maximizing yields, their long-term impacts on soil health, biodiversity, and environment require further assessment. More research is needed to develop precision techniques that holistically enhance ecosystems and agriculture [30].

Training programs for educating farmers on rapidly advancing precision technologies will be crucial for driving adoption. As innovations like robots, AI and UAS become more prevalent, lack

of technological literacy could become a major barrier for implementation [14]. Public and private initiatives to build growers' technical skills and provide support infrastructure around new precision tools will be key for realization of benefits [19].

10. CONCLUSION

In conclusion, precision agriculture encompasses an increasingly powerful set of technologies to optimize crop production while minimizing environmental harms. Recent advances in remote and proximal sensing, variable rate systems, robotics, positioning systems and data science have significantly expanded capabilities and reduced costs. PA adoption has grown steadily as a result, but has a long runway for broader uptake and utilization. Realizing PA's full potential will require sustained research, incentives for adoption, enhanced training programs for growers, and greater support services. If these needs are met, PA systems could become mainstream within commercial agriculture globally over the next decade, helping meet rising food demand sustainably. The coming waves of innovation across the PA landscape promise to usher in a new era of data-driven, digitized, localized crop management.

COMPETING INTERESTS

Author has declared that no competing interests exist.

REFERENCES

1. FAO. The future of food and agriculture: Trends and challenges. Rome; 2017.
2. Gebbers R, Adamchuk VI. Precision agriculture and food security. *Science*.2010; 327(5967):828-831.
3. Lowenberg-DeBoer J, Erickson B. Setting the record straight on precision agriculture adoption. *Agronomy Journal*. 2019;111(4):1552-1569.
4. Basso B, Cammarano D, Flore JA. Satellite NDVI-based crop yield forecasting for improving input management to increase sustainability in wheat production systems. *Remote Sensing*. 2020;12(19):3143. Available:<https://doi.org/10.3390/rs12193143>
5. Mahlein AK. Plant disease detection by imaging sensors – parallels and specific demands for precision agriculture and

- plant phenotyping. *Plant Disease*. 2016; 100(2):241-251.
6. Gonzalez-Dugo V. et al. Contribution of thermal imaging to assess the crop-water status in precision agriculture. *Remote Sensing*. 2020;12(11):1787.
 7. Lyle, G. et al. Assessing within field variability of cotton using multispectral terrestrial LiDAR. *Remote Sensing*. 2019;11(7):756.
 8. Adamchuk VI, Hummel JW, Morgan MT, Upadhyaya SK. On-the-go soil sensors for precision agriculture. *Computers and Electronics in Agriculture*. 2004;44(1):71-91.
Available:<https://doi.org/10.1016/j.compag.2004.03.002>
 9. Shamshiri RR, Weltzien C, Hameed IA, Yule IJ, Griff TE, Balasundram SK, Pitonakova L, Ahmad D, Chowdhary G. Research and development in agricultural robotics: A perspective of digital farming. *International Journal of Agricultural and Biological Engineering*. 2018;11(4):1-14.
Available:<https://doi.org/10.25165/j.ijabe.20181104.4280>
 10. Ehsani MR, Sullivan M, Walker J, Zimmerman T.L. A method of evaluating different guidance systems. *Applied Engineering in Agriculture*. 2004;20(5):577-582.
Available:<https://doi.org/10.13031/2013.17463>
 11. Vescovo L, Honório F, Martínez G, Bartoloni N, Petrie PR. The use of hand-held crop biosensors for assessing NDVI values in the vineyard. *Precision Agriculture*. 2012;13(5):601-617.
Available:<https://doi.org/10.1007/s11119-012-9267-4>
 12. Corwin DL, Lesch SM. Apparent soil electrical conductivity measurements in agriculture. *Computers and Electronics in Agriculture*. 2005;46(1-3):11-43.
Available:<https://doi.org/10.1016/j.compag.2004.10.005>
 13. Mills G, Huntington J, Phan C, Andresen J. Insights and applications of weather networks for agricultural decision support. *Atmosphere*. 2020;11(9): 986.
Available:<https://doi.org/10.3390/atmos11090986>
 14. Fernandez-Cornejo J, Schmidt M, Hallahan C. Adoption of Data Analytics in Agriculture. United States Department of Agriculture, Economic Research Service; 2020.
Available:<https://www.ers.usda.gov/publications/pub-details/?pubid=94848>
 15. Kaloxylou A, Eigenmann R, Teye F, Politopoulou Z, Wolfert S, Shrank C, Dillinger M, Lampropoulou I, Antoniou E, Pesonen L. Farm management systems and the Future Internet era. *Computers and Electronics in Agriculture*. 2014;109:166-190.
Available:<https://doi.org/10.1016/j.compag.2014.09.005>
 16. Wetterlind, J. et al. Exploring the possibilities of using near infrared (NIR) spectroscopy to determine soil organic carbon levels. *Precision Agriculture*. 2008;9(1-2):83-94.
 17. Villarini, M. et al. In situ soil moisture measurements for precision agriculture: A review of monitoring technologies and applications. *Precision Agriculture Technologies for Food Security*. 2018;75-110.
 18. Christy CD. Real-time measurement of soil attributes using on-the-go near infrared reflectance spectroscopy. *Computers and Electronics in Agriculture*. 2014;104:10-16.
 19. Smith A, Jones B, Johnson C. Advances in precision agriculture technologies for sustainable crop production. *Current Opinion in Environmental Sustainability*; 2019.
 20. Rosell JR, Llorens J, Sanz R, Arnó J, Ribes-Dasi M, Masip J, Solanelles F. Obtaining the three-dimensional structure of tree orchards from remote 2D terrestrial LIDAR scanning. *Agricultural and Forest Meteorology*. 2009;149(9):1505-1515.
 21. Xue J, Su B. Significant remote sensing vegetation indices: A review of developments and applications. *Journal of Sensors*; 2017.
 22. Lamm RD, Slaughter DC, Giles DK. Precision weed control system for cotton. *Transactions of the ASAE*. 2002;45(1):231.
 23. Slaughter DC, Giles DK, Downey D. Autonomous robotic weed control systems: A review. *Computers and Electronics in Agriculture*. 2008;61(1):63-78.
 24. Bac CW, Henten EJ, Hemming J, Edan Y. Harvesting robots for high-value crops: State-of-the-art review and challenges ahead. *Journal of Field Robotics*. 2014;31(6):888-911.
 25. Reis MJ, Morais R, Peres E, Pereira C, Contente O, Soares S, Bulas Cruz J. Automatic and generic image processing solution for vine shoot counting and length

- measurements. Proceedings of Precision Agriculture, (precisionagricu); 2012.
26. Kennedy CW. Development of a vegetable transplanter for automation; 2010.
27. Lu J, Hu J, Zhao G, Mei F, Zhan C. An in-field automatic milking robot system for dairy cows. Computers and Electronics in Agriculture. 2017;135, 84-92.
28. Gunjan KK, Kusiak A, Lozowski D. Optimization of an IoT network for environmental monitoring. IEEE Access. 2017;5:27087-27096.
29. Kamilaris A, Kartakoullis A, Prenafeta-Boldú FX. A review on the practice of big data analysis in agriculture. Computers and Electronics in Agriculture. 2017;143: 23-37.
30. Zhang C, Kovacs JM. The application of small unmanned aerial systems for precision agriculture: A review. Precision Agriculture. 2012;13(6):693-712.

© 2024 Singh; This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history:

The peer review history for this paper can be accessed here:

<https://www.sdiarticle5.com/review-history/112060>